EAST 11/7/04 But 09/489,5%

			But	09/489,5/2
L Number	Hits	Search Text	DB	Time Stamp
3	792	compar\$5 WITH ((forward\$3 OR rout\$3) ADJ2	USPAT;	2004/11/07 10:03
		(table\$1 OR map\$1 OR database\$1))	US-PGPUB;	
			EPO; JPO;	
,		·	DERWENT; IBM TDB	
4	423	(compar\$5 WITH ((forward\$3 OR rout\$3) ADJ2	USPAT;	2004/11/07 10:03
"	423	(table\$1 OR map\$1 OR database\$1))) AND	US-PGPUB;	2001/11/0/10/03
		(370/\$6.ccls. OR 709/\$6.ccls.)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
6	375	collect\$3 WITH ((forward\$3 OR rout\$3) ADJ2	USPAT;	2004/11/07 10:51
		(table\$1 OR map\$1 OR database\$1))	US-PGPUB;	
			EPO; JPO;	
		ì	DERWENT;	
7	1/172	(collect\$3 WITH ((forward\$3 OR rout\$3)	IBM_TDB USPAT;	2004/11/07 11:02
'	V 1/2	ADJ2 (table\$1 OR map\$1 OR database\$1)))	US-PGPUB;	2001/11/07 11:02
		AND (370/\$6.ccls. OR 709/\$6.ccls.)	EPO; JPO;	
		,, ,	DERWENT;	
	_		IBM_TDB	
11	V 6	1 ,	USPĀT	2004/11/07 10:47
		"6108702" "6131119" "6205122").PN.		0004/11/07 11 00
16	822	(collect\$3 OR harvest\$3 OR gather\$3 OR	USPAT; US-PGPUB;	2004/11/07 11:02
	į	poll\$3 OR acquir\$3 OR compil\$3) WITH ((forward\$3 OR rout\$3) ADJ2 (table\$1 OR	EPO; JPO;	
		map\$1 OR database\$1))	DERWENT;	
		map+1 01 aacabaoc+1//	IBM TDB	
17	342		USPAT;	2004/11/07 11:02
	_	poll\$3 OR acquir\$3 OR compil\$3) WITH	US-PGPUB;	
		((forward\$3 OR rout\$3) ADJ2 (table\$1 OR	EPO; JPO;	
		map\$1 OR database\$1))) AND (370/\$6.ccls.	DERWENT;	
	. /270	OR 709/\$6.ccls.)	IBM_TDB	2004/11/07 11:03
18	V 170	(((collect\$3 OR harvest\$3 OR gather\$3 OR poll\$3 OR acquir\$3 OR compil\$3) WITH	USPAT; US-PGPUB;	2004/11/0/ 11:03
		((forward\$3 OR rout\$3) ADJ2 (table\$1 OR	EPO; JPO;	
10		map\$1 OR database\$1)) AND (370/\$6.ccls.	DERWENT;	
Also see		OR 709/\$6.ccls.)) NOT ((collect\$3 WITH	IBM TDB	
3-8 Dry85		((forward\$3 OR rout\$3) ADJ2 (table\$1 OR	_	
`a-s		map\$1 OR database\$1))) AND (370/\$6.ccls.		1
	40.5	OR 709/\$6.ccls.))	, , , o , n , n	2004/02/20 10 25
-	1366	((network ADJ1 management\$1) OR SNMP) AND	USPAT; US-PGPUB;	2004/03/30 19:35
		(history OR snap\$1shot)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	410	((network ADJ1 management\$1) OR SNMP) AND	USPAT;	2003/04/01 12:30
		(history OR snap\$1shot) AND (time\$1stamp	US-PGPUB;	
		OR (time ADJ1 stamp\$3))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	<u></u>

	/		1 11467052511		TIODAM	1 2002 /04 /01 12 27
- 220	("4057847"	"4449182"	"4672535"	1	USPAT	2003/04/01 12:37
ŀ	"4692918" "4769764"	"4695946" "4774502"	"4707803" "4835737"			
	"4949245"	4774302 "4999787"	"5006961"			
	"5033048"	"5051720"	"5073932"			
	"5103391"	"5121500"	"5123017" i			
	"5136708"	"5138619"	"5157663" i	•		
	"5210855"	"5245615"	"5247683"			
	"5253348"	"5261094"	"5266838"			
	"5269011" ,	"5272382"	"5272584"			
	"5276863"	"5280621"	"5283905"			
	"5307354"	" 5311451 "	"5317693"			
	"5329625"	"5337413"	"5351276"			
	"5367670"	"5379184"	"5379409"			
	"5386567"	"5388267"	"5402431"			
ŀ	"5404494" "5432946"	"5430845" "5438678"	"5432715" "5440748"			
	"5455933"	"5463766"	"5440746" "5471617"			
	"5473499"	"5483419"	"5485550"			
	"5485607"	"5487148"	"5491791"			
]	"5493574"	"5493666"	"5513314"			
	"5517646"	"5526289"	"5528409"			
	"5535326"	"5546272"	"5548712"			
	"5555510"	"5559764"	"5559958"			
	"5559965"	"5564024"	"5566339"			
	"5568610"	"5568619"	"5572403"			
1	"5577205"	"5579487"	"5579491"			
["5581712"	"5581714"	"5584030"			
	"5588144"	"5596711"	"5598407"			
	"5602758" "5608876"	"5604873" "5615207"	"5606672" "5621159"			
i I	"5621892"	"5622221"	"5625238"			
	"5627962"	"5630076"	"5631847"			
	"5632021"	"5638289" I	"5644470"			
	"5644731"	"5651006"	"5652832"			
	"5652839"	"5652892"	"5652908"			
	"5655081"	"5655083"	" 5655148 "			
	"5659682"	"5664118"	"5664119"			
	"5666538"	"5668992"	"5669009 "			
	"5671371" ("5675723"	"5680288 "			
	"5684671" "5696949"	"5689637" "5696970"	"5696899" "5704031"			
	"5715456"	"5724529"	"5726506"			
	"5727207"	"5732266"	"5737708"			
	"5740378"	"5742514"	"5742833"			
	"5747889"	"5748426"	"5752164"			
·	"5754797"	"5758165"	"5758352"			
	"5761033"	"5761045"	" 5761085 "			
	"5761462"	"5764968"	"5765008"			
	"5765198"	"5767844"	"5768541"			
	"5768542"	"5774741"	"5777897"			
	"5778197" "5781767"	"5781703" "5781798"	"5781744" "5784555"			
	"5784576"	3781796 "5787019"	3784355 "5787459"			
	"5787491"	"5790775"	"5790831"			
	"5793987"	"5794035"	"5796185"			
	"5796580"	"5796981"	"5797023"			
	"5798828"	"5799036"	"5799196"			
	"5801921"	"5802269"	"5802298"			
	"5802305"	"5802324"	"5802393 "			
	"5802552"	"5802592"	"5803357"			
	"5805834" "5809311"	"5809224" "5812748"	"5809287" "5812750"			
	"5809311" "5812757"	"5812748" "5812858"	"5812750" "5815117"			
	"5815647" I	"5815652" I	"5821596" I			
	"5822547"	"5835719"				
[["5838932"	"5841991"				
	"5852724"	"5857074"	"5857102"			
	"5864653" i	"5867730"	"5875307"			
	,					i l
	"5875310"	"5878237"	"5878238"			l l
	"5875310" "5881311"	"5884027"	"5889965"			
	"5875310" "5881311" "5892928"	"5884027" "5898888"	"5889965" "5905867"			
Search History 11	"5875310" "5881311"	"5884027" "5898888"	"5889965"			

-	3	6138250.URPN.	USPAT	2003/04/01 12:39
_	84	(709/223,224,330,316.ccls. OR	USPAT;	2003/04/01 13:17
		714/20,31,47,57,718,723.ccls.) AND	US-PGPUB;	
		(re\$play OR play OR play\$1back) AND	EPO; JPO;	
		re\$1construct\$4	DERWENT;	
			IBM TDB	
_	6	(709/223,224,330,316.ccls. OR	USPAT;	2003/04/01 13:28
		714/20,31,47,57,718,723.ccls.) AND	US-PGPUB;	
		(re\$1construct\$4 WITH history)	EPO; JPO;	
1		(legiconstructor with history)	DERWENT;	
			IBM TDB	
1		/#5020270# #5200440# #5217740#	USPAT	2003/04/01 13:20
-	27	("5032979" "5309448" "5317742"	USPAT	2003/04/01 13:20
		"5627886" "5655081" "5740432"		
]		"5751933" "5752247" "5787437"		
		"5796633" "5832518" "5857190"		
1		"5881315" "5896440" "5978475"	ļ	
		"5999179" "5999978" "6000045"		
		"6006016" "6012095" "6012152"		
		"6018567" "6038563" "6044407"		
		"6058420" "6061723" "6078649").PN.		
_	117	l	USPAT;	2003/04/01 14:03
.		OR 709/223,224.ccls.) AND (reconstruct\$3	US-PGPUB;	
]		WITH time) AND ((log\$3 NOT logic) OR	EPO; JPO;	
		snap\$1shot\$3 OR database\$1)	DERWENT;	
		diap (101100 to 01. autubusut 1/	IBM TDB	
	2	((forward\$3 OR rout\$3) ADJ table\$1) SAME	USPAT;	2003/04/01 14:06
-	3	(link ADJ1 status) SAME time	US-PGPUB;	2003,04,01 14.00
		(IIIIX ADOI SCACAS) SAME CIME	EPO; JPO;	
	,		1 '	!
			DERWENT;	
			IBM_TDB	
-	9	((forward\$3 OR rout\$3) ADJ table\$1) SAME	USPAT;	2003/04/01 14:08
		(link WITH status) SAME time .	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	232	((log\$3 not logic) OR database\$1 OR	USPAT;	2003/04/01 14:25
		table\$1) SAME (link WITH status) SAME	US-PGPUB;	
ļ		(time OR time\$1stamp)	EPO; JPO;	
	Ì	(dame of damp)	DERWENT;	
1			IBM TDB	
,	204	(network WITH (collect\$3 OR gather\$3)) AND	USPAT;	2003/04/01 14:48
-	204	((reconstruct\$4 OR regenerat\$3 OR	US-PGPUB;	2003/04/01 14.40
	Ì			
		rebuild\$3 OR assembl\$3 OR reassembl\$3)	EPO; JPO;	
	[WITH time) AND (((log\$3 NOT logic) OR	DERWENT;	
	1	table\$1 OR database\$1 OR db\$1) SAME link	IBM_TDB	
İ		AND (status OR change))		0000/01/01 11 55
-	2684		USPAT;	2003/04/01 14:50
		dabase\$1 OR (log\$3 NOT logic))	US-PGPUB;	
	1		EPO; JPO;	
	1		DERWENT;	
	1		IBM_TDB	
-	1179	(network\$1 WITH simulat\$4) AND ((table\$1	USPAT;	2003/04/01 16:01
	1	OR dabase\$1 OR (log\$3 NOT logic)) SAME	US-PGPUB;	
]	(time OR time\$1stamp\$1))	EPO; JPO;	
	1	,	DERWENT;	1
	1		IBM TDB	1
I _	31	(network\$1 WITH simulat\$4) AND ((table\$1	USPAT;	2003/04/01 16:01
_	31	OR database\$1 OR (log\$3 NOT logic)) SAME	US-PGPUB;	2303, 51, 51 15.01
	1	(time OR time\$1stamp\$1) SAME status SAME	EPO; JPO;	
	1			
	1	change)	DERWENT;	
		/ 101 mmm	IBM_TDB	2002/04/01 15 55
-	261		USPAT;	2003/04/01 16:06
		OR database\$1 OR (log\$3 NOT logic)) SAME	US-PGPUB;	
		(time OR time\$1stamp\$1) SAME ((rout\$4 NOT	EPO; JPO;	
1	1	routine) OR forward\$3))	DERWENT;	
			IBM_TDB	
-	4	("4688181" "5049873" "5086385"	USPĀT	2003/04/01 16:06
		"5136690").PN.		1
_	7	5437009.URPN.	USPAT	2003/04/01 16:08
-	132		USPAT	2003/04/01 16:28
				<u> </u>

_	182	<pre>(network\$1 WITH (topolog\$3 OR diagram\$1)) AND poll\$3 AND play\$1back AND (tim\$3 OR time\$1stamp\$1)</pre>	USPAT	2003/04/02 08:46
-	3868	(network\$1 WITH (topolog\$3 OR diagram\$1)) AND poll\$3 (time\$1stamp\$1 OR (time ADJ1 stamp\$1)) AND (snap\$1shot OR (snap ADJ1	USPAT	2003/04/01 17:07
-	66	<pre>shot)) (network\$1 WITH (topolog\$3 OR diagram\$1)) AND poll\$3 AND (time\$1stamp\$1 OR (time ADJ1 stamp\$1)) AND ((reconstruct\$4 OR</pre>	USPAT	2003/04/01 17:12
-	29	regenerat\$3 OR rebuild\$3 OR reassembl\$3) WITH time) (network\$1 WITH (topolog\$3 OR diagram\$1)) AND ((time\$1stamp\$1 OR (time ADJ1	USPAT	2003/04/02 10:59
		stamp\$1)) WITH (database\$1 OR db\$1 OR table\$1 OR log\$1)) AND ((reconstruct\$4 OR regenerat\$3 OR rebuild\$3 OR reassembl\$3)		
_	146	WITH time) (network\$1 NEAR1 topolog\$3) AND ((time OR time\$1stamp\$1) SAME ((rout\$3 NOT routine)	USPAT	2003/04/02 09:02
_	29	OR forward\$3) ADJ1 (table\$1 OR map\$1)) 709/223,224,330,316.ccls. AND ((time OR time\$1stamp\$1) SAME ((rout\$3 NOT routine)	USPAT	2003/04/02 09:10
-	6	OR forward\$3) ADJ1 (table\$1 OR map\$1)) (network ADJ1 simulat\$4) AND ((time OR time\$1stamp\$1) SAME ((rout\$3 NOT routine) OR forward\$3) ADJ1 (table\$1 OR map\$1))	USPAT	2003/04/02 09:30
_	10	((time OR time\$1stamp\$1) SAME ((rout\$3 NOT routine) OR forward\$3) ADJ1 (table\$1 OR map\$1)) SAME (archiv\$3 OR history OR reconstruct\$4 OR regenerat\$3 OR rebuild\$3	USPAT	2003/04/02 09:33
-	205	OR reassembl\$3) (((time OR time\$1stamp\$1) SAME ((rout\$3 NOT routine) OR forward\$3) ADJ1 (table\$1 OR map\$1))) AND (archiv\$3 OR history OR reconstruct\$4 OR regenerat\$3 OR rebuild\$3	USPAT	2003/04/02 09:33
_	516	OR reassembl\$3) (monitor\$3 WITH topology) AND time	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/02 10:01
-	69	(monitor\$3 WITH topology) AND time AND (((rout\$3 NOT routine) OR forward\$3) ADJ1 (table\$1 OR map\$1))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/02 10:34
-	11	((monitor\$3 OR management) WITH topolog\$3) AND (((rout\$3 NOT routine) OR forward\$3) WITH converge\$4)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/02 10;36
-	160	((monitor\$3 OR management) WITH topolog\$3) AND (time SAME (play OR play\$1back OR history OR reconstruct\$4 OR regenerat\$3 OR rebuild\$3 OR reassembl\$3))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/02 10:39
-	21	("5251152" "5347269" "5384565" "5446874" "5634008" "5634009" "5675727" "5699403" "5796633" "5831428" "5850386" "5944782" "5963943" "5991758" "6081692" "6122664" "6182157" "6275783"	IBM_TDB USPAT	2003/04/02 10:44
-	0 2		USPAT USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/02 10:54 2003/04/02 10:59

				<u> </u>
_	15	("5450406" "5491791" "5513126"	USPAT	2003/04/02 10:59
	•	"5586254" "5616904" "5619656" "5696486" "5699403" "5752062"		
		"5799154" "5819028" "5850388"		
		"5974237" "5974457" "5991881").PN.		
-	1 52201	6327677.URPN.	USPAT	2003/04/02 11:01 2004/03/29 17:44
-	53391	(reconstruct\$3 OR build\$3 OR (piec\$3 ADJ1 together\$1) OR rebuild\$3 OR recreat\$3)	USPAT; US-PGPUB;	2004/03/29 17:44
		WITH ((operation\$3 OR alarm\$1 or event\$1	EPO; JPO;	
		OR (routing OR route\$1) ADJ1 (table\$1 OR	DERWENT;	
]		map\$1)))	IBM_TDB	2004/02/20 17.45
1 -	11816	(reconstruct\$3 OR build\$3 OR (piec\$3 ADJ1 together\$1) OR rebuild\$3 OR recreat\$3)	USPAT; US-PGPUB;	2004/03/29 17:45
		WITH ((operation\$3 OR alarm\$1 or event\$1	EPO; JPO;	•
		OR (routing OR route\$1) ADJ1 (table\$1 OR	DERWENT;	
	11770	map\$1))) SAME tim\$3	IBM_TDB	2004/02/20 17.45
_	11773	((reconstruct\$3 OR build\$3 OR (piec\$3 ADJ1 together\$1) OR rebuild\$3 OR	USPAT; US-PGPUB;	2004/03/29 17:45
	,	recreat\$3) WITH (operation\$3 OR alarm\$1 or	EPO; JPO;	
		event\$1) SAME tim\$3)	DERWENT;	
		/ /	IBM_TDB	2004/02/20 17-40
-	539	((reconstruct\$3 OR build\$3 OR (piec\$3 ADJ1 together\$1) OR rebuild\$3 OR	USPAT; US-PGPUB;	2004/03/29 17:48
		recreat\$3) WITH (operation\$3 OR alarm\$1 or	EPO; JPO;	
		event\$1) SAME tim\$3) AND (((forward\$3 OR	DERWENT;	
		routing OR route\$1) ADJ1 (table\$1 OR	IBM_TDB	
	240	map\$1)) OR (status NEAR2 change\$1)) (((reconstruct\$3 OR build\$3 OR (piec\$3	USPAT;	2004/03/29 18:01
-	240	ADJ1 together\$1) OR rebuild\$3 OR	US-PGPUB;	2004/03/23 10:01
		recreat\$3) WITH (operation\$3 OR alarm\$1 or	EPO; JPO;	
		event\$1) SAME tim\$3) AND (((forward\$3 OR	DERWENT;	
		routing OR route\$1) ADJ1 (table\$1 OR map\$1)) OR (status NEAR2 change\$1))) AND	IBM_TDB	
		(714/\$6.ccls. OR 707/\$6.ccls. OR		
		370/\$6.ccls. OR 340/\$6.ccls. OR		
		709/\$6.ccls.)		2004/02/20 17:50
_	4	("5987247" "6098047" "6332130" "6393386").PN.	USPAT	2004/03/29 17:52
_	255	((display\$3 OR visual\$3) WITH tim\$3) AND	USPAT;	2004/03/29 18:20
,		(network\$1 SAME (snap\$1shot\$3 OR (snap\$1	US-PGPUB;	
		ADJ1 shot\$3)))	EPO; JPO;	
	'		DERWENT; IBM TDB	
_	125	(((display\$3 OR visual\$3) WITH tim\$3) AND	USPAT;	2004/03/29 18:28
		(network\$1 SAME (snap\$1shot\$3 OR (snap\$1	US-PGPUB;	
		ADJ1 shot\$3)))) AND (714/\$6.ccls. OR	EPO; JPO;	
		707/\$6.ccls. OR 370/\$6.ccls. OR 340/\$6.ccls. OR 709/\$6.ccls.)	DERWENT; IBM TDB	
_	30		USPAT	2004/03/29 18:07
		"5349662" "5471616" "5559955"		
		"5570326" "5659768" "5751965" "5768552" "5793974" "5850386"	,	
		"5850388" "5878420" "6054987"		
		"6065138" "6104392" "6122639"		
		"6144987" "6219708" "6252947"		
		"6269447" "6271845" "6279037" "62817300" "6280268" "6285527"		
		"6281790" "6289368" "6295527" "6304262" "6308148" "6327620").PN.		
-	.7	l	USPAT	2004/03/29 18:11
		"5452415" "5559955" "5751965"		
	426	"5793974").PN.	HSDAT.	2004/03/29 18:20
-	426	(network\$1 WITH (snap\$1shot\$3 OR (snap\$1 ADJ1 shot\$3)))	USPAT; US-PGPUB;	2004/03/23 10:20
			EPO; JPO;	
			DERWENT;	
	226	//notion#61 WIRU /616#6462 OR /61	IBM_TDB	2004/02/20 10:20
-	226	((network\$1 WITH (snap\$1shot\$3 OR (snap\$1 ADJ1 shot\$3)))) AND (714/\$6.ccls. OR	USPAT; US-PGPUB;	2004/03/29 18:32
		707/\$6.ccls. OR 370/\$6.ccls. OR	EPO; JPO;	
		340/\$6.ccls. OR 709/\$6.ccls.)	DERWENT;	
	<u> </u>		IBM TDB	

-	11552	(play\$3 OR play\$3back\$1) WITH network\$1	USPAT; US-PGPUB;	2004/03/29 18:28
			EPO; JPO; DERWENT; IBM TDB	
-	2956	(play\$3 OR play\$3back\$1) WITH network\$1 SAME tim\$3	USPAT; US-PGPUB;	2004/03/29 18:29
	<u> </u>		EPO; JPO; DERWENT;	
_	734	((play\$3 OR play\$3back\$1 OR re\$1play\$3)	IBM_TDB USPAT;	2004/03/29 18:38
		WITH network\$1 SAME tim\$3) AND (network NEAR2 (monitor\$3 OR operation\$1 OR	US-PGPUB; EPO; JPO;	
	226	management\$1 OR fault\$1 OR alarm\$1 OR event\$1))	DERWENT; IBM_TDB	2004/02/20 10:32
-	336	((play\$3 OR play\$3back\$1 OR re\$1play\$3) WITH network\$1 WITH tim\$3) AND (network NEAR2 (monitor\$3 OR operation\$1 OR	USPAT; US-PGPUB; EPO; JPO;	2004/03/29 18:32
		management\$1 OR fault\$1 OR alarm\$1 OR event\$1))	DERWENT; IBM TDB	
-	129	((play\$3 OR play\$3back\$1 OR re\$1play\$3) WITH network\$1 SAME tim\$3 SAME (display\$3	USPAT; US-PGPUB;	2004/03/29 18:39
		OR visual\$5 OR graph\$4)) AND (network\$1 NEAR2 (monitor\$3 OR operation\$1 OR	EPO; JPO; DERWENT;	
	2	management\$1 OR fault\$1 OR alarm\$1 OR event\$1))	IBM_TDB USPAT;	2004/03/30 19:37
	2	6516348.pn.	US-PGPUB; EPO; JPO;	2004/03/30 19.37
			DERWENT; IBM TDB	
-	25	(table\$1 OR map\$1) SAME ((snap ADJ1	USPAT; US-PGPUB;	2004/03/30 19:42
		shot\$1) OR snap\$1shot\$1)	EPO; JPO; DERWENT;	
-	3904	((rout\$3 NOT routine) OR forward\$3) ADJ2 (table\$1 OR map\$1) SAME (sav\$3 OR stor\$3)	IBM_TDB USPAT; US-PGPUB;	2004/03/30 19:43
			EPO; JPO; DERWENT;	
_	2721	((rout\$3 NOT routine) OR forward\$3) ADJ2	IBM_TDB USPAT;	2004/03/30 19:43
		(table\$1 OR map\$1) WITH (sav\$3 OR stor\$3)	US-PGPUB; EPO; JPO; DERWENT;	
_	937	(((rout\$3 NOT routine) OR forward\$3) ADJ2	IBM_TDB USPAT;	2004/03/30 19:43
		(table\$1 OR map\$1) WITH (sav\$3 OR stor\$3)) AND monitor\$3	US-PGPUB; EPO; JPO;	
	0.47	///wouted NOW wouting) OR formerded) TRTO	DERWENT; IBM_TDB	2004/03/30 19:43
	847	(((rout\$3 NOT routine) OR forward\$3) ADJ2 (table\$1 OR map\$1) WITH (sav\$3 OR stor\$3)) AND monitor\$3 AND network\$1	USPAT; US-PGPUB; EPO; JPO;	2004/03/30 19:43
		The state of the s	DERWENT; IBM_TDB	
-	327	(((rout\$3 NOT routine) OR forward\$3) ADJ2 (table\$1 OR map\$1) WITH (sav\$3 OR stor\$3))	USPĀT; US-PGPUB;	2004/03/30 19:54
		AND (monitor\$3 WITH network\$1)	EPO; JPO; DERWENT; IBM TDB	
_	144	(((rout\$3 NOT routine) OR forward\$3) ADJ2 (table\$1 OR map\$1)) SAME ((re\$1build\$3 OR	USPAT; US-PGPUB;	2004/03/30 20:02
		build\$3) WITH network\$1)	EPO; JPO; DERWENT;	
-	278	(((rout\$3 NOT routine) OR forward\$3) ADJ2	IBM_TDB USPAT;	2004/03/30 20:04
		(table\$1 OR map\$1)) AND 709/223-224.ccls.	US-PGPUB; EPO; JPO; DERWENT;	
	<u> </u>		IBM TDB	

-	√ 150	(((rout\$3 NOT routine) OR forward\$3) ADJ2	USPAT;	2004/11/05 13:23
		(table\$1 OR map\$1)) AND 709/224.ccls.	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
	√ 25	(US-6249755-\$ or US-6138121-\$ or	USPAT;	2004/11/05 13:21
		US-6131112-\$ or US-6138250-\$ or	US-PGPUB	
		US-5964837-\$ or US-5684945-\$ or		
		US-5553235-\$ or US-5471617-\$ or US-6000045-\$ or US-5796633-\$ or		
		US-5832518-\$ or US-6151031-\$ or		
		US-6061505-\$ or US-5638514-\$ or		
		US-5049873-\$ or US-6438591-\$ or		
		US-6269398-\$ or US-5437009-\$ or		
		US-6327677-\$ or US-6687750-\$ or US-6516348-\$ or US-6453346-\$).did. or		
		(US-20010044840-\$ or US-20020021675-\$ or		
		US-20030071840-\$).did.		
-	3389	709/224.ccls.	USPAT;	2004/11/05 13:23
			US-PGPUB; EPO; JPO;	
			DERWENT;	
1			IBM TDB	
-	21779		USPĀT;	2004/11/05 16:10
		(table\$1 OR map\$1 OR database\$1)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	V 267	709/224.ccls. AND (((rout\$3 NOT routine)	USPĀT;	2004/11/05 13:25
	•	OR forward\$3) NEAR2 (table\$1 OR map\$1 OR	US-PGPUB;	
		database\$1))	EPO; JPO; DERWENT;	
			IBM TDB	
_	753	(((rout\$3 NOT routine) OR forward\$3) NEAR2	USPAT;	2004/11/05 13:43
		(table\$1 OR map\$1 OR database\$1)) WITH	US-PGPUB;	
		compar\$5	EPO; JPO;	
			DERWENT; IBM TDB	· ·
_	455	(((rout\$3 NOT routine) OR forward\$3) NEAR2	USPAT;	2004/11/05 15:50
		(table\$1 OR map\$1 OR database\$1)) WITH	US-PGPUB;	
		compar\$5 AND (714/\$6.ccls. OR 707/\$6.ccls.	EPO; JPO; DERWENT;	
		OR 370/\$6.ccls. OR 340/\$6.ccls. OR 709/\$6.ccls.)	IBM TDB	
_	V 11	("5159592" "5309437" "5327424"	USPAT	2004/11/05 14:27
		"5345448" "5353283" "5461624"		
		"5490139" "5533026" "5572528"		· ·
_	V 67	"5608871" "5640400").PN. 5754547.URPN.	USPAT	2004/11/05 14:28
_	√ 124	compar\$5 ADJ2 (((rout\$3 NOT routine) OR	USPAT;	2004/11/05 15:11
	_	forward\$3) NEAR2 (table\$1 OR map\$1 OR	US-PGPUB;	
		database\$1))	EPO; JPO;	
			DERWENT; IBM TDB	
-	17	("5331635" "5633868" "5903545"	USPAT	2004/11/05 14:44
		"6032266" "6069895" "6084864"		
	V ₂	"6324161").PN.	IICDAM.	2004/11/05 14:52
] -	2	5822302.pn.	USPAT; US-PGPUB;	2004/11/05 14:52
			EPO; JPO;	
	[DERWENT;	
	184	///wouted Nom wouting) On farmanded MRRR	IBM_TDB	2004/11/05 15:11
-	184	(((rout\$3 NOT routine) OR forward\$3) NEAR2 (table\$1 OR map\$1 OR database\$1)) SAME	USPAT; US-PGPUB;	2004/11/05 15:11
		((tim\$3 NEAR2 stamp\$3) OR time\$1stamp\$3)	EPO; JPO;	
			DERWENT;	
	0075	(loge2 ADII filee1) OD loge1filee1	IBM TDB	2004/11/05 15-11
-	8075	(log\$3 ADJ1 file\$1) OR log\$1file\$1	USPAT; US-PGPUB;	2004/11/05 15:11
			EPO; JPO;	
			DERWENT;	
	1		IBM TDB	L

-	250	compar\$5 WITH ((log\$3 ADJ1 file\$1) OR	USPAT;	2004/11/05 15:27
		log\$1file\$1)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		46 (1 1 1 41 0	IBM_TDB	0004/11/05 15:40
-	89508	manag\$6 WITH (table\$1 OR map\$1 OR	USPAT;	2004/11/05 15:42
		database\$1 OR respositor\$3)	US-PGPUB;	
	1		EPO; JPO;	
	•		DERWENT;	
	5068	(manag\$6 WITH (table\$1 OR map\$1 OR	IBM_TDB USPAT;	2004/11/05 15:40
-	3068	database\$1 OR respositor\$3)) AND ((rout\$3	US-PGPUB;	2004/11/03 15:40
		NOT routine) OR forward\$3) NEAR2 (table\$1	EPO; JPO;	
		OR map\$1 OR database\$1 OR respositor\$3)	DERWENT;	
		or mapper or databasers on lespositions,	IBM TDB	
_	2180	(manag\$6 WITH (table\$1 OR map\$1 OR	USPAT;	2004/11/05 15:43
	2100	database\$1 OR respositor\$3)) SAME ((rout\$3	US-PGPUB;	2001, 11, 00 10.10
		NOT routine) OR forward\$3) NEAR2 (table\$1	EPO; JPO;	
		OR map\$1 OR database\$1 OR respositor\$3)	DERWENT;	
			IBM TDB	
-	1328	((manag\$6 WITH (table\$1 OR map\$1 OR	USPĀT;	2004/11/05 15:43
		database\$1 OR respositor\$3)) SAME ((rout\$3	US-PGPUB;	
		NOT routine) OR forward\$3) NEAR2 (table\$1	EPO; JPO;	
		OR map\$1 OR database\$1 OR respositor\$3))	DERWENT;	
		AND (714/\$6.ccls. OR 707/\$6.ccls. OR	IBM_TDB	
		370/\$6.ccls. OR 340/\$6.ccls. OR	-	
1 .		709/\$6.ccls.)		
- '	1919	manag\$5 WITH (((rout\$3 NOT routine) OR	USPAT;	2004/11/05 15:50
		forward\$3) NEAR2 (table\$1 OR map\$1 OR	US-PGPUB;	
		database\$1))	EPO; JPO;	
			DERWENT;	
		45 /// / 42 3200	IBM_TDB	0004/11/05 15:54
-	1194	(manag\$5 WITH (((rout\$3 NOT routine) OR	USPAT;	2004/11/05 15:54
	1	forward\$3) NEAR2 (table\$1 OR map\$1 OR	US-PGPUB;	
		database\$1))) AND (714/\$6.ccls. OR	EPO; JPO;	
		707/\$6.ccls. OR 370/\$6.ccls. OR	DERWENT;	
	4046	340/\$6.ccls. OR 709/\$6.ccls.)	IBM_TDB USPAT;	2004/11/05 16:14
-	4846	(((rout\$3 NOT routine) OR forward\$3) NEAR2 (table\$1 OR map\$1 OR database\$1)) SAME	US-PGPUB;	2004/11/05 16:14
		(time\$1 OR timing\$1 OR time\$1period\$1)	EPO; JPO;	İ
		(cimesi on cimings) on cimesipeliousi,	DERWENT:	
			IBM TDB	
_	2439	((((rout\$3 NOT routine) OR forward\$3)	USPAT;	2004/11/05 16:12
		NEAR2 (table\$1 OR map\$1 OR database\$1))	US-PGPUB;	
	1	SAME (time\$1 OR timing\$1 OR	EPO; JPO;	
1	1	time\$1period\$1)) AND (714/\$6.ccls. OR	DERWENT;	
		707/\$6.ccls. OR 370/\$6.ccls. OR	IBM_TDB	
		340/\$6.ccls. OR 709/\$6.ccls.)	. –	
-	V 31	(((rout\$3 NOT routine) OR forward\$3) NEAR2	USPAT;	2004/11/05 16:03
		(table\$1 OR map\$1 OR database\$1)) SAME	US-PGPUB;	
		(time\$1 OR timing\$1 OR time\$1period\$1)	EPO; JPO;	
		SAME converg\$5	DERWENT;	
		// / 40 200	IBM_TDB	2004/11/05 16 22
-	729	((rout\$3 NOT routine) OR forward\$3) SAME	USPAT;	2004/11/05 16:03
		(time\$1 OR timing\$1 OR time\$1period\$1)	US-PGPUB;	
		WITH converg\$5	EPO; JPO; DERWENT;]
			IBM TDB]
1_	1 53	(((rout\$3 NOT routine) OR forward\$3) SAME	USPAT;	2004/11/05 16:04
1 -	• 153	((time\$1 OR timing\$1 OR time\$1period\$1)	US-PGPUB;	2003/11/03 10.04
		WITH converg\$5) AND (714/\$6.ccls. OR	EPO; JPO;	
		707/\$6.ccls. OR 370/\$6.ccls. OR	DERWENT;	
		340/\$6.ccls. OR 709/\$6.ccls.)	IBM TDB	
_	2248	(((rout\$3 NOT routine) OR forward\$3) NEAR2	USPAT;	2004/11/05 16:14
		(table\$1 OR map\$1 OR database\$1)) WITH	US-PGPUB;	,,,
		(time\$1 OR timing\$1 OR time\$1period\$1)	EPO; JPO;	
-			DERWENT;	
			IBM TDB	
		<u> </u>	•	

٠						
	-	331	((((rout\$3 NOT routine) OR forward\$3)	USPAT;	2004/11/07	09:18
				US-PGPUB;		
1			WITH (time\$1 OR timing\$1 OR	EPO; JPO;		
1			time\$1period\$1)) AND network\$3 WITH	DERWENT;		
-			monitor\$3	IBM_TDB		